PLEASE PRINT OR TYPE IN THE UNSHADED AREAS ONLY. You may report some or all of this information on separate sheets (use the same format) instead of completing these pages. (See instructions)

V. INTAKE AND	EFFLUENT CH	OUTFALL NO. KYG045352-001										
Part A – You must	provide the result	s of at least one	analysis for every po	ollutant in this tal	ble. Complete one tab	ole for each outf	fall. See instructions					
				2. EFFLUENT	3. UNI (specify if		4. INTAKE (optional)					
1. POLLUTANT	a. Maximum	Daily Value	b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		d. No. of	a. Concentration	b. Mass	a. Long-Term Avg. Value		b.
	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses			(1) Concentration	(2) Mass	No of Analyses
a. BiochemicalOxygen Demand(BOD)	N/A	A										
b. Chemical Oxygen Demand (COD)	N/A	A										
c. Total Organic Carbon (TOC)	N/A	A										
d. Total Suspended Solids (TSS)	2	4					1	mg/l				
e. Ammonia (as N)	N/A	A										
f. Flow (in units of MGD)	VALUE 0.0143		VALUE		VALUE		1	MGD		VALUE		
g. Temperature (winter)	VALUE	N/A	VALUE		VALUE			°c		VALUE		
h. Temperature (summer)	VALUE N/A		VALUE		VALUE			°c		VALUE		
i. pH	MINIMUM MAXIMUM MINIMUM MAXIMUM 7.74						1	STAN	DARD UNITS			

Revised June 1999

Part B - In the MARK "X" column, place an "X" in the <u>Believed Present</u> column for each pollutant you know or have reason to believe is present. Place an "X" in the <u>Believed Absent</u> column for each pollutant you believe to be absent. If you mark the <u>Believed Present</u> column for any pollutant, you must provide the results of at least one analysis for that pollutant. Complete one table for each outfall. See the instructions for additional details and requirements

requirements.			ı				ı							
1.	2	2.			****	3.	4. UNITS		6.					
POLLUTANT	MAR			EFFLUENT m Daily Value b. Maximum 30-Day c. Long-Term Avg. d.							INTAKE (optional)			
AND CAS NO.	a.	b.	a. Maximum Daily Value						d.			a. Long-Term Avg		b. No. of
(if ove!labla)	Believed	Believed	(1)	(2)	(1)	(2)	Value (if ava	(2)	No. of	a. Concentration	b. Mass	(1) (2)		
(if available)	Present	Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses	Concentration	Mass	(1) Concentration	(2) Mass	Analyses
- D	1 Teschi	Absent	Concentration	111455	Concentration	Mass	Concentration	111455				Concentration	Mass	
a. Bromide (24959-67-9)		X												
b. Bromine		Λ												
Total														
Residual		X												
c. Chloride		X												
d. Chlorine,														
Total														
Residual		X												
e. Color		X												
f. Fecal Coliform		v												
g. Fluoride		X												
(16984-48-8)		X												
h. Hardness		Λ												
(as CaCO ₃)	X		322.9						1	mg/l				
i. Nitrate –			022.5							g, 1				
Nitrite (as N)		X												
j. Nitrogen,														
Total														
Organic														
(as N)		X												
k. Oil and		37												
Grease 1. Phosphorous		X												
(as P), Total														
7723-14-0		X												
m.						1	I	<u> </u>	1	I		I	<u> </u>	
Radioactivity														
(1) Alpha,														
Total		X												
(2) Beta,								<u>.</u>						
Total		X												
(3) Radium														
Total		X												
(4) Radium, 226, Total		X												
220, 10tal		A							1					

Revised June 1999

Part B - Continu	ed													
1. POLLUTANT		2. K "X"			EF	3. FLUENT	4. UNITS		5. INTAKE (optional)					
And CAS NO.	a.	b.	a. Maximum Dail	y Value	Value (if avai	b. Maximum 30-Day Value (if available)		Value (if available) No. of		a.	b.	a. Long-Term Avg. Value		b. No. of
(if available)	Believed Present	Believed Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses	Concentration	Mass	(1) Concentration	(2) Mass	Analyses
n. Sulfate (as SO ₄) (14808-79-8)	X		230						1	mg/l				
o. Sulfide (as S)		X												
p. Sulfite (as SO ₄) (14286-46-3)		Х												
q. Surfactants		х												
r. Aluminum, Total (7429-90)		X												
s. Barium, Total (7440-39-3)		X												
t. Boron, Total (7440-42-8)		X												
u. Cobalt, Total (7440-48-4)		X												
v. Iron, Total (7439-89-6)	X		0.86						1	mg/l				
w. Magnesium Total (7439-96-4)		X												
x. Molybdenum Total (7439-98-7)		X												
y. Manganese, Total (7439-96-6)	X		1.53						1	mg/l				
z. Tin, Total (7440-31-5)		X												
aa. Titanium, Total (7440-32-6)		X												

Part C – If you are a primary industry and this outfall contains process wastewater, refer to Table C-2 in the instructions to determine which of the GC/MS fractions you must test for. Mark "X" in the Testing Required column for all such GC/MS fractions that apply to your industry and for ALL toxic metals, cyanides, and total phenols. If you are not required to mark this column (secondary industries, nonprocess wastewater outfalls, and non-required GC/MS fractions), mark "X" in the Believed Present column for each pollutant you know or have reason to believe is present. Mark "X: in the Believed Absent column for each pollutant you believe to be absent. If you mark either the Testing Required or Believed Present columns for any pollutant, you must provide the result of at least one analysis for that pollutant. Note that there are seven pages to this part; please review each carefully. Complete one table (all seven pages) for each outfall. See instructions for additional details and requirements.

1.		2. MARK "X"		ns for additional dec	3. EFFLUENT								5. INTAKE (optional)		
POLLUTANT And CAS NO.	a. a. Testing Believed	b. Believed	a. Maximum Daily		Value (if avail	b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of Analyses	
(if available)	Required	Present	Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	Analyses			(1) Concentration	(2) Mass	
METALS, CYAN	NIDE AND T	OTAL PHE	NOLS												
1M. Antimony															
Total															
(7440-36-0)	X			ND						1	μg/l				
2M. Arsenic, Total															
(7440-38-2)	Y			0.729						1	μg/l				
3M. Beryllium	A			0.727						1	μg/1				
Total															
	X			0.043						1	μg/l				
4M. Cadmium															
Total															
	X			0.08						1	μg/l				
5M. Chromium															
Total (7440-43-9)	X			ND						1	μg/l				
6M. Copper	Λ			ND						1	μg/1				
Total															
	X			0.375						1	μg/l				
7M. Lead											10				
Total															
	X			0.053						1	μg/l				
8M. Mercury															
Total	v			< 0.0005						1	/1				
(7439-97-6) 9M. Nickel,	X			<0.0003			-			1	μg/l				
Total															
(7440-02-0)	X			1.39						1	μg/l				
10M. Selenium,											F-6-				
Total															
	X			ND						1	μg/l				
11M. Silver,															
Total	W			NID							n.				
(7440-28-0)	X			ND			l			1	μg/l				

Part C - Continu	ied															
		2.			3.								5.			
1. POLLUTANT	1	MARK "X"	ı			EFFLUENT					UNITS		INTAKE (optional)			
And CAS NO.	a. Testing	a. Believed	b. Believed	a. Maximum Daily Value		b. Maximum 3 Value (if avai	b. Maximum 30-Day Value (if available)		c. Long-Term Avg. Value (if available)		a. Concentration	b. Mass	a. Long-Term Avg Value		b. No. of	
(if available)	Required	Present	Absent	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	(1) Concentration	(2) Mass	No. of Analyses			(1) Concentration	(2) Mass	Analyses	
METALS, CYAN	NIDE AND TO	OTAL PHE	NOLS (Con		112400		112400	Concentration	112400				Concentration	112455		
12M. Thallium,			TOES (COIL													
Total																
(7440-28-0)	X			ND						1	μg/l					
13M. Zinc,																
Total (7440-66-6)	v			1.78						1	μg/l					
14M. Cyanide,	Λ			1.76						1	μg/1					
Total																
(57-12-5)	X			< 0.004						1	mg/l					
15M. Phenols,																
Total	X			<0.004						1	/1					
DIOXIN	Λ			<0.004						1	mg/l	l				
2,3,7,8 Tetra-				DESCRIBE RES	ULTS:											
chlorodibenzo,																
P, Dioxin			X													
(1784-01-6)																
GC/MS FRACT	ION – VOLA	TILE COM	POUNDS	1	1	ı	1	I				1				
1V. Acrolein																
(107-02-8)			X													
2V.																
Acrylonitrile																
(107-13-1)			X													
3V. Benzene (71-43-2)			X													
5V. Bromoform			Λ													
(75-25-2)			X													
6V. Carbon																
Tetrachloride																
(56-23-5)			X		-		-									
7V. Chloro- benzene																
(108-90-7)			X													
8V.			-													
Chlorodibro-																
momethane																
(124-48-1)	1		X												1	